

FOR STOCK

Work Order ID 152651

152651

Page 1

Wednesday, November 02, 2016 10:09:28 A

Item ID: D412-760-113 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Aft Cabin Wall & Pylon Protector
 Start Date: 11/2/2016 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 11/11/2016 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: KS **DAS 21 9-89** Date: 11/11/2 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
IIN D412-760	G							DAS 21 9-89	NOV 08 2016

100 Document Control 0.00
100
 DC Memo 0.00
 Doc.Control -USB or Paperwork Photocopy bluefile & type labels per PPP D412-760-113
 CHG002

DAS 27 9-89
NOV 17 2016

110 Pick Kit 0.00
110
 Packaging Memo 0.00
 Packaging

DAS 6 9-89 **DAS 28 9-89**
NOV 08 2016

120 QC4- 100% Inspect kits for completeness 0.00
120
 QC Memo 0.01
 Quality Control

DAS 27 9-89
NOV 17 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 152651

Wednesday, November 02, 2016 10:09:28 A

152651

Page 2

Item ID: D412-760-113

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Aft Cabin Wall & Pylon Protector

Start Date: 11/2/2016 Start Qty: 1.00

1

Cust Item ID:

Required Date: 11/11/2016 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00							
130						DAS 27 9-89	DAS 28 9-89		
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D412-760-113 Location:FG040								
									NOV 17 2016
140	QC21- Final Inspection - Work Order Release	0.00							
140							DAS 21 9-89		
QC	Memo	0.02							NOV 17 2016
Quality Control									

NOV 17 2016

DAS
21
9-89

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																														
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																										
Description Work Order Deviation				Disposition																																																														
Root Cause		FAULT CATEGORY																																																																
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____				
Misidentified ☐	Past Due ☐																																																																	

Wednesday, November 02, 2016 10:09:34 AM

152651

D412-760-113

Required Date: 11/11/2016

Required Qty: 1.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

Drawing	Description	Material	Quantity	Unit	Price	Total Price	Date
D3933-1	Aft Wall Protector	Manufactured No	110	Each	0.0000	1	1
D3933-1					**	152648	NOV 08 2016
D3933-2	Aft Wall Protector, RH	Manufactured No	110	Each	0.0000	1	1
D3933-2					**	152647	NOV 08 2016
D3935-3	Pylon Wall	Manufactured No	110	Each	0.0000	1	1
D3935-3					**	152650	NOV 08 2016
D3935-4	Pylon Wall	Manufactured No	110	Each	0.0000	1	1
D3935-4					**	152649	NOV 08 2016
D3942-1	Angle	Manufactured No	110	Each	28.0000	14	14
D3942-1					**		NOV 08 2016

D3942-3

D3942-3

Clip

<u>Location</u>	<u>Loc Qty</u>		<u>Loc Code</u>			
ST060	28					
144910	28					
Manufactured No	110	Each	11.0000	10	10	

NOV 08 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐		☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design ☐	☐	Operator ☐		☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data ☐	☐	Offset/Setup ☐		☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling ☐	☐	Supplier ☐		☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre ☐	☐	Training ☐		☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material ☐	☐	Use for Testing ☐		☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport ☐	☐	Poor Information ☐		☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge ☐	☐	Rushing ☐		☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA ☐	☐	Product Improvement ☐		☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation ☐	☐	Process Improvement ☐		☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date ☐	☐	Manufacturing Process ☐		OTHER : _____							
Misidentified ☐	☐	Past Due ☐									

Picklist Print

Wednesday, November 02, 2016 10:09:34 AM

Work Order ID: 152651

152651

Parent Item: D412-760-113

D412-760-113

Parent Item Name: Aft Cabin Wall & Pylon Protector

Start Date: 11/2/2016

Required Date: 11/11/2016

Start Qty: 1.00

Required Qty: 1.00

MS27039-4-10

Purchased

No

110

Each

112.0000

4

4

MS27039-4-10

Screw

DAS
27
9-89

Location

Loc Qty

Loc Code

ST279

112

m131885

12

m135603

100

4

NOV 11 2016

DAS
6
9-89

MS27039-4-14

Purchased

No

110

Each

44.0000

6

6

MS27039-4-14

SCREW

DAS
27
9-89

Location

Loc Qty

Loc Code

ST279

44

m135058

44

6

NOV 08 2016

DAS
6
9-89

MS27039-5-08

Purchased

No

110

Each

55.0000

6

6

MS27039-5-08

Screw

DAS
27
9-89

Location

Loc Qty

Loc Code

ST279

55

m134719

5

m135359

50

5

NOV 11 2016

DAS
28
9-89

MS27039-5-12

Purchased

No

110

Each

34.0000

8

8

MS27039-5-12

Screw

DAS
27
9-89

Location

Loc Qty

Loc Code

ST278

34

m135127

34

6

NOV 11 2016

DAS
28
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step # : _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY						
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER : _____						
Misidentified ☐	☐	Past Due	☐							

Qty -111	Qty -113	Part Number	Description
X		D412-760-111	AFT CABIN WALL AND PYLON PROTECTOR KIT
	X	D412-760-113	AFT CABIN WALL AND PYLON PROTECTOR KIT
1	1	D3933-1	LH AFT CABIN WALL PROTECTOR
1	1	D3933-2	RH AFT CABIN WALL PROTECTOR
1		D3935-1	LH PYLON PROTECTOR
1		D3935-2	RH PYLON PROTECTOR
	1	D3935-3	LH PYLON PROTECTOR
	1	D3935-4	RH PYLON PROTECTOR
14	14	D3942-1	ANGLE
10	10	D3942-3	CLIP
4	4	MS27039-4-10	SCREW
6	6	MS27039-4-14	SCREW
6	6	MS27039-5-08	SCREW
8	8	MS27039-5-12	SCREW

Qty -211	Qty -213	Qty -215	Qty -217	Part Number	Description
X				D412-760-211	BAGGAGE COMPARTMENT PROTECTOR KIT
	X			D412-760-213	BAGGAGE COMPARTMENT CEILING PROTECTOR KIT
		X		D412-760-215	CARGO FLOOR PROTECTOR KIT
			X	D412-760-217	LIGHTWEIGHT BAGGAGE COMPARTMENT PROTECTOR KIT
36	7	8		D3628-1	CUPPED WASHER
			43	D3628-5	CUPPED WASHER
1				D3876-1	RH FORWARD WALL PROTECTOR
1				D3876-3	FORWARD WALL PROTECTOR
1				D3876-5	LH WALL PROTECTOR
1				D3876-7	AFT WALL PROTECTOR
1				D3876-9	RH AFT WALL PROTECTOR
1		1		D3876-11	FLOOR PROTECTOR
1				D3876-13	DOOR PROTECTOR
1		1		D3952-1	PLACARD
			1	D3952-3	PLACARD
	1			D4438-1	CEILING PROTECTOR
			1	D4640-1	RH FWD WALL PROTECTOR
			1	D4640-3	FORWARD WALL PROTECTOR
			1	D4640-5	LH WALL PROTECTOR
			1	D4640-7	AFT WALL PROTECTOR
			1	D4640-9	RH AFT WALL PROTECTOR
			1	D4640-11	FLOOR PROTECTOR
			1	D4640-13	DOOR PROTECTOR
			1	D4640-15	CEILING PROTECTOR
36		8	36	80-004-2-6	INSERT
	7		7	80-004-2-8	INSERT
36		8	36	MS27039-1-04	SCREW
	7		7	MS27039-1-05	SCREW
	3		3	MS27039-1-10	SCREW
	6		6	NAS1149F0363P	WASHER (AN960-10)